


Monitoring of Radioactive Concentrations in Nearby Sea of Fukushima Daiichi NPS




The Latest Results of I-131 Monitoring in Seawater by the Ministry of Education, Culture, Sports, Science and Technology (MEXT)

Sampling Point	Date	Surface (Bq/L)	Depth (Bq/L)
M-A	April 9	Not Detected	Not Detected
M-B	April 11	Not Detected	Not Detected
M1	April 9	Not Detected	Not Detected
M2	April 11	Not Detected	Not Detected
M3	April 9	77.4	Not Detected
M4	April 11	88.5	Not Detected
M5	April 9	8.58	Not Detected
M6	April 11	13.9	Not Detected
M7	April 9	14.1	Not Detected
M8	April 11	12.6	Not Detected
M9	April 9	13.6	10.5
M10	April 11	12.2	Not Detected

The Latest Results of I-131 Monitoring in Seawater by Tokyo Electric Power Co. (TEPCO)

Sampling Point	Date	(Bq/cm3)
T1	April 11	0.95
T2	April 11	6.9
T3	April 11	1.3
T4	April 11	1.4
T5	April 11	0.19
T6	April 11	0.21
T7	April 11	0.04
T8	April 11	0.0081
T9	April 11	0.92
T10	April 11	0.24

Sampling Points by MEXT and TEPCO



Radioactive iodine and cesium beyond standards (intake limits) were detected in sand lances (sand eels) off the coast of Kitaibaraki City (about 60 km south of Fukushima Daiichi NPS).

Concentration of Iodine 131 in Nearby Sea of Fukushima Daiichi (1F) NPS (up to April 11)

